# Volume 218 1993

## Table of contents

No. 1 1– 272 issued on November 15, 1993
No. 2 273– 758 issued on December 1, 1993
No. 3 759–1188 issued on December 15, 1993

Corrections 1095–1096

Information for authors 1097–1103

Author and keyword index of Volumes 211–218 (1993) 1105–1187

Contents of Volume 218 I–XII

**Reviews**

Protein glycosylation – Structural and functional aspects
*Halina Lis, Nathan Sharon* 1–27

ATP synthesis in mitochondria
*Youssef Hatefi* 759–767

Control of sex determination in animals
*Ken McElreavey, Eric Vilain, Corinne Cotinot, Emmanuel Payen, Marc Fellous* 769–783

The biochemistry of white and brown adipocytes analysed from a selection of proteins
*Daniel Ricquier, Anne-Marie Cassard-Doulcier* 785–796

**Priority Paper**

Evidence for cAMP-independent thyrotropin effects on astroglial cells
*Bertrand Saunier, Michel Pierre, Claude Jacquemin, Françoise Courtin* 1091–1094

**Nucleic acids, protein synthesis and molecular genetics**

Phenotype of recombinant *Leishmania donovani* and *Trypanosoma cruzi* which over-express trypanothione reductase – Sensitivity towards agents that are thought to induce oxidative stress
*John M. Kelly, Martin C. Taylor, Keith Smith, Karl J. Hunter, Alan H. Fairlamb* 29–37

Increased phosphorylation of eukaryotic initiation factor 4$\alpha$ during early activation of T lymphocytes correlates with increased initiation factor 4F complex formation
*Simon J. Morley, Michael Rau, John E. Kay, Virginia M. Pain* 39–48

Analysis of the DNA topoisomerase-II-mediated cleavage of the long terminal repeat of *Drosophila* 1731 retrotransposon
*Evelyne Nahon, Martin Best-Belpomme, Jean-Marie Saucier* 95–102

Mouse gelatinase B – cDNA cloning, regulation of expression and glycosylation in WEHI-3 macrophages and gene organisation
*Stefan Masure, Guy Nys, Pierre Fiten, Jo Van Damme, Ghislain Opdenakker* 129–141

Determinants of the brain-specific expression of the rat aldolase C gene: *ex vivo* and *in vivo* analysis
*Muriel Thomas, Iman Makeh, Pascale Briand, Axel Kahn, Henriette Skala* 143–151

Nucleotide sequence and promoter-specific effect of a negative regulatory region located upstream of the mouse proliferating cell nuclear antigen gene
*Shuhei Matsuoka, Masamitsu Yamaguchi, Yuko Hayashi, Akio Matsukage* 173–181

Anomalous interaction of Sp1 and specific binding of an E-box-binding protein with the regulatory elements of the Na,K-ATPase $\alpha$2 subunit gene promoter
*Keiko Ikeda, Kei Nagano, Kiyoshi Kawakami* 195–204

Gene targeting in human somatic cells – Complete inactivation of an interferon-inducible gene
*Andrew C. G. Porter, Jane E. Itzhaki* 273–281

Isolation and characterization of the human inter-$\alpha$-trypsin inhibitor heavy-chain H1 gene
*Frédéric Bost, Jeannette Bourguignon, Jean-Pierre Martin, Richard Sesboüé, Luc Thiberville, Maryam Diarra-Mehrpour* 283–291

Interferon-$\gamma$ up-regulates a unique set of proteins in human keratinocytes – Molecular cloning and expression of the cDNA encoding the RGD-sequence-containing protein IGUP I-5111
*Bent Honoré, Henrik Leffers, Peder Madsen, Julio E. Celis* 421–430

Evolution of the monotremes – The sequences of the protamine P1 genes of platypus and echidna
*Jacques D. Retief, Robert J. Winkfein, Gordon H. Dixon* 457–461

Pressure-induced dissociation of ribosomes and elongation cycle intermediates – Stabilizing conditions and identification of the most sensitive functional state
*Michael Gross, Karla Lehle, Rainer Jaenicke, Knud H. Nierhaus* 463–468

Ion-exchange reactions of proteins during DNA binding
*Michael G. Fried, Douglas F. Stickle* 469–475

Coupling of recombinant 5-lipoxygenase and leukotriene $A_4$ hydrolase activities and transcellular metabolism of leukotriene $A_4$ in Sf9 insect cells
*Joseph A. Mancini, Jilly F. Evans* 477–484

Methylation state of the human HLA-DRA gene in T-lymphocytes and B-lymphocytes of transgenic mice – Lack of methylation at one 5'-GCGC site is not required for gene expression
*Giordana Feriotto, Laura Pozzi, Alessandra Ciucci, Grazia Camarda, Carlo Mischiati, Igea D'Agnano, Roberto Gambari, Patrizio Giacomini* 485–492

Gene structure of *CYP3A4*, an adult-specific form of cytochrome *P*450 in human livers, and its transcriptional control
*Hisashi Hashimoto, Kenji Toide, Ryuji Kitamura, Masako Fujita, Sanae Tagawa, Susumu Itoh, Tetsuya Kamataki* 585–595

Recombinant iron-regulatory factor functions as an iron-responsive-element-binding protein, a translational repressor and an aconitase – A functional assay for translational repression and direct demonstration of the iron switch
*Nicola K. Gray, Sabine Quick, Britta Goossen, Anne Constable, Harald Hirling, Lukas C. Kühn, Matthias W. Hentze* 657–667

Cloning and characterization of the poly(hydroxyalkanoic acid)-depolymerase gene locus, *phaZ1*, of *Pseudomonas lemoignei* and its gene product
*Dieter Jendrossek, Beate Müller, Hans Günter Schlegel* 701–710

The *pur8* gene from the *pur* cluster of *Streptomyces alboniger* encodes a highly hydrophobic polypeptide which confers resistance to puromycin
*José Antonio Tercero, Rosa Ana Lacalle, Antonio Jimenez* 963–971

**Protein chemistry and structure**

Sequence and expression of the gene encoding the respiratory nitrous-oxide reductase from *Paracoccus denitrificans* – New and conserved structural and regulatory motifs
*Frank U. Hoeren, Ben C. Berks, Stuart J. Ferguson, John E. G. McCarthy* 49–57

Refined crystal structure of phycoerythrin from *Porphyridium cruentum* at 0.23-nm resolution and localization of the $\gamma$ subunit
*Ralf Ficner, Robert Huber* 103–106

Characterization of the post-translational modifications in tubulin from the marginal band of avian erythrocytes
*Manfred Rüdiger, Klaus Weber* 107–116

Identification of O-linked oligosaccharide chains in the activation peptides of blood coagulation factor X – The role of the carbohydrate moieties in the activation of factor X
*Keisuke Inoue, Takashi Morita* 153–163

Complete amino acid sequences of five dimeric and four monomeric forms of metallothionein from the edible mussel *Mytilus edulis*
*Elaine A. Mackay, Julian Overnell, Bryan Dunbar, Ian Davidson, Peter E. Hunziker, Jeremias H. R. Kägi, John E. Fothergill* 183–194

Recombinant coho salmon insulin-like growth factor I – Expression in *Escherichia coli*, purification and characterization
*Shunsuke Moriyama, Stephen J. Duguay, J. Michael Conlon, Cunming Duan, Walton W. Dickhoff, Erika M. Plisetskaya* 205–211

Structure and dynamics of the acidic compact state of apomyoglobin by frequency-domain fluorometry
*Ettore Bismuto, Enrico Gratton, Ivana Sirangelo, Gaetano Irace* 213–219

Non-cooperative effects of glucose and 2-deoxyglucose on their metabolism in *Saccharomyces cerevisiae* studied by $^1$H-NMR and $^{13}$C-NMR spectroscopy
*Martine Herve, Jaime Wietzerbin, Son Tran-Dinh* 221–228

Effect of lysine ionization on the structure and electrochemical behaviour of the Met44→Lys mutant of the blue-copper protein azurin from *Pseudomonas aeruginosa*
*Mart Van De Kamp, Gerard W. Canters, Colin R. Andrew, Joann Sanders-Loehr, Christopher J. Bender, Jack Peisach* 229–238

Effects of glycosylation on protein structure and dynamics in ribonuclease B and some of its individual glycoforms
*Heidi C. Joao, Raymond A. Dwek* 239–244

Gly387 of murine ornithine decarboxylase is essential for the formation of stable homodimers
*Karin E. Tobias, Emanuelle Mamroud-Kidron, Chaim Kahana* 245–250

Overexpression of *Desulfovibrio vulgaris* Hildenborough cytochrome $c_{553}$ in *Desulfovibrio desulfuricans* G200 – Evidence of conformational heterogeneity in the oxidized protein by NMR
*Laurence Blanchard, Dominique Marion, Brent Pollock, Gerrit Voordouw, Judy Wall, Mireille Bruschi, Françoise Guerlesquin* 293–301

Complexes of the polyamines spermine, spermidine and putrescine with α-lactalbumins
*Ludmilla Morozova, Johan Desmet, Marcel Joniau* 303–309

Human aldehyde dehydrogenase – cDNA cloning and primary structure of the enzyme that catalyzes dehydrogenation of 4-aminobutyraldehyde
*Gloria Kurys, Pritesh C. Shah, Alexandra Kikonyogo, Donna Reed, Wojciech Ambroziak, Regina Pietruszko* 311–320

Localization of the cross-linking site of GPRVVERHK in the γ-chain of human fibrinogen
*Czeslaw S. Cierniewski, Andrei Z. Budzynski* 321–325

Biosynthetic $^{15}N$ and $^{13}C$ isotope labelling of glutathione in the mixed disulfide with *Escherichia coli* glutaredoxin documented by sequence-specific NMR assignments
*John H. Bushweller, Arne Holmgren, Kurt Wüthrich* 327–334

Conformation of thymosin $\beta_4$ in water determined by NMR spectroscopy
*Michael Czisch, Michael Schleicher, Susanne Hörger, Wolfgang Voelter, Tad A. Holak* 335–344

Big endothelin-1 structure important for specific processing by endothelin-converting enzyme of bovine endothelial cells
*Kenji Okada, Yukiko Arai, Mikiko Hata, Kenji Matsuyama, Mitsuo Yano* 493–498

Structural investigation of transglutaminase by Fourier transform infrared spectroscopy
*Fabio Tanfani, Enrico Bertoli, Marco Signorini, Carlo M. Bergamini* 499–505

The actin monomers in the ternary gelsolin: 2 actin complex are in an antiparallel orientation
*Thomas Hesterkamp, Alan G. Weeds, Hans Georg Mannherz* 507–513

Ser2 is the autophosphorylation site in the β subunit from bicistronically expressed human casein kinase-2 and from native rat liver casein kinase-2β
*Brigitte Boldyreff, Peter James, Werner Staudenmann, Olaf-Georg Issinger* 515–521

Alanine scanning mutagenesis of human erythropoietin identifies four amino acids which are critical for biological activity
*Jennifer Grodberg, Kerry L. Davis, Arthur J. Sytkowski* 597–601

Preferential sites of proteolytic cleavage of bovine, human and rat thyroglobulin – The use of limited proteolysis to detect solvent-exposed regions of the primary structure
*Fabrizio Gentile, Gaetano Salvatore* 603–621

Evidence for a glycolipid anchor of gp64, a putative cell-cell adhesion protein of *Polysphondylium pallidum*
*Tamao Saito, Hiroshi Ochiai* 623–628

Probing different conformational states of pregnancy-zone protein – Fluorescence studies utilizing the binding of 4,4′-bis(8-anilino-1-naphthalenesulphonate)
*Luis F. Arbelaez, Poul Erik H. Jensen, Vithaldas P. Shanbhag, Torgny Stigbrand* 651–656

Purification and characterization of a macromolecular-translocation inhibitor III of activated glucocorticoid-receptor-complex binding to nuclei from rat liver
*Gang Liu, Kazuki Okamoto, Fumihide Isohashi* 679–687

Mutants of *Methylobacterium extorquens* and *Paracoccus denitrificans* deficient in *c*-type cytochrome biogenesis synthesise the methylamine-dehydrogenase polypeptides but cannot assemble the tryptophan-tryptophylquinone group
*M. Dudley Page, Stuart J. Ferguson* 711–717

Characterization of two glycosylated boar spermadhesins
*Juan José Calvete, Dolores Solís, Libia Sanz, Teresa Díaz-Mauriño, Wolfram Schäfer, Karlheinz Mann, Edda Töpfer-Petersen* 719–725

Two states of the nucleotide-binding site of sarcoplasmic reticulum adenosine triphosphatase detected by the calcium-dependent reaction with adenosine 5′-[γ-imidazolidate]triphosphate and adenosine 5′-[β-imidazolidate]diphosphate
*Zeynep Gutowski-Eckel, Hans G. Bäumert* 823–828

A polymerising Root-effect fish hemoglobin with high subunit heterogeneity – Correlation with primary structure
*Angela Fago, Mario Romano, Maurizio Tamburrini, Massimo Coletta, Rossana D'Avino, Guido di Prisco* 829–835

A high-resolution solid-state $^{13}C$-NMR study on [1-$^{13}C$]Ala and [3-$^{13}C$]Ala and [1-$^{13}C$]Leu and Val-labelled bacteriorhodopsin – Conformation and dynamics of transmembrane helices, loops and termini, and hydration-induced conformational change
*Satoru Tuzi, Akira Naito, Hazime Saitô* 837–844

Investigation of intra-domain and inter-domain interactions of glutathione transferase P1-1 by limited chymotryptic cleavage
*Filippo Martini, Antonio Aceto, Paolo Sacchetta, Tonino Bucciarelli, Beatrice Dragani, Carmine Di Ilio* 845–851

$^1H$-NMR studies and secondary structure of the RGD-containing snake toxin, albolabrin
*Mahesh Jaseja, K. John Smith, Xinjie Lu, Janice A. Williams, Hylary Trayer, Ian P. Trayer, Eva I. Hyde* 853–860

Sequence of pig lens aldose reductase and electrospray mass spectrometry of non-covalent and covalent complexes
*Michel Jaquinod, Noelle Potier, Klaus Klarskov, Jean-Marc Reymann, Odile Sorokine, Sylvie Kieffer, Patrick Barth, Verotiana Andriantomanga, Jean-François Biellmann, Alain Van Dorsselaer* 893–903

The actin/actin interactions involving the N-terminus of the DNase-I-binding loop are crucial for stabilization of the actin filament
*Sofia Y. Khaitlina, Joanna Moraczewska, Hanna Strzelecka-Gołaszewska* 911–920

Equine infectious anemia virus *Tat* is a predominantly helical protein
*Heinrich Sticht, Dieter Willbold, Peter Bayer, Andrzej Ejchart, Franz Herrmann, Rina Rosin-Arbesfeld, Arnona Gazit, Abraham Yaniv, Rainer Frank, Paul Rösch* 973–976

Flavin dynamics in oxidized *Clostridium beijerinckii* flavodoxin as assessed by time-resolved polarized fluorescence
*Rik Leenders, Arie Van Hoek, Martijn Van Iersel, Cees Veeger, Antonie J. W. G. Visser* 977–984

Overproduction, purification and characterization of the *Escherichia coli* ferritin
*Aaron J. Hudson, Simon C. Andrews, Chris Hawkins, John M. Williams, Mika Izuhara, Fiona C. Meldrum, Stephen Mann, Pauline M. Harrison, John R. Guest* 985–995

Conformational differences between complexes of elongation factor Tu studied by $^{19}$F-NMR spectroscopy
*John F. Eccleston, David P. Molloy, Mark G. Hinds, Rodney W. King, James Feeney* 1041–1047

Unfolding/refolding studies of the myosin rod
*Muriel Nozais, Jean-Jacques Bechet* 1049–1055

**Enzymology**

Structure/activity relationships in porphobilinogen oxygenase and horseradish peroxidase – An analysis using synthetic hemins
*Marcelo Fernandez, Rosalía B. Frydman, Jorge Hurst, Graciela Buldain* 251–259

Reconstitution of holotransketolase is by a thiamin-diphosphate-magnesium complex
*Christine K. Booth, Peter F. Nixon* 261–265

The separate roles of plant *cis* and *trans* prenyl transferases in *cis*-1,4-polyisoprene biosynthesis
*Katrina Cornish* 267–271

$^{19}$F-NMR study on the pH-dependent regioselectivity and rate of the *ortho*-hydroxylation of 3-fluorophenol by phenol hydroxylase from *Trichosporon cutaneum* – Implications for the reaction mechanism
*Sjaak Peelen, Ivonne M. C. M. Rietjens, Willem J. H. van Berkel, Wilbert A. T. van Workum, Jacques Vervoort* 345–353

Expression in yeast of three allelic cDNAs coding for human liver *P*-450 3A4 – Different stabilities, binding properties and catalytic activities of the yeast-produced enzymes
*Marie-Anne Peyronneau, Jean-Paul Renaud, Maryse Jaouen, Philippe Urban, Christophe Cullin, Denis Pompon, Daniel Mansuy* 355–361

Inactivation of phosphorylated rat tyrosine hydroxylase by ascorbate *in vitro*
*Robert Roskoski Jr, Laura G. Gahn, Laura M. Roskoski* 363–370

Human progelatinase A can be activated by autolysis at a rate that is concentration-dependent and enhanced by heparin bound to the C-terminal domain
*Thomas Crabbe, Chris Ioannou, Andrew J. P. Docherty* 431–438

Kinetic studies of pea carbonic anhydrase
*Inga-Maj Johansson, Cecilia Forsman* 439–446

Synergistic binding of hydrophobic probes and zinc ligands to thermolysin
*Richard A. Pfuetzner, William W.-C. Chan* 523–528

General occurrence of binding synergism in zinc proteases and its possible significance
*William W.-C. Chan, Richard A. Pfuetzner* 529–534

Purification and properties of *N*-acetylglucosaminidase from eggs of the ascidian, *Halocynthia roretzi*
*Katsuyuki Matsuura, Hitoshi Sawada, Hideyoshi Yokosawa* 535–541

Characteristics of lysophospholipase activity expressed by cytosolic phospholipase $A_2$
*Yumi Fujimori, Ichiro Kudo, Ken-ichi Fujita, Keizo Inoue* 629–635

Kinetic characterization of the *Eca*I methyltransferase
*László Szilák, András Dér, Ferenc Deák, Pál Venetianer* 727–733

Evidence for the functional importance of Cys298 in D-amino acid oxidase from *Trigonopsis variabilis*
*Thomas Schräder, Jan R. Andreesen* 735–744

Evidence that the reaction of the UDP-*N*-acetylglucosamine 1-carboxyvinyltransferase proceeds through the *O*-phosphothioketal of pyruvic acid bound to Cys115 of the enzyme
*Christoph Wanke, Nikolaus Amrhein* 861–870

Structural and physico-chemical characteristics of *Bordetella pertussis* adenylate kinase, a tryptophan-containing enzyme
*Anne-Marie Gilles, Odile Sismeiro, Hélène Munier, Heinz Fabian, Henry H. Mantsch, Witold K. Surewicz, Constantin C. Craescu, Octavian Barzu, Antoine Danchin* 921–927

Aromatization of 4-oxocyclohexanecarboxylic acid to 4-hydroxybenzoic acid by two distinctive desaturases from *Corynebacterium cyclohexanicum* – Properties of two desaturases
*Toshi Kaneda, Hitoshi Obata, Masakazu Tokumoto* 997–1003

The complex between ribonuclease T1 and 3'GMP suggests geometry of enzymic reaction path – An X-ray study
*Andrea Heydenreich, Gertraud Koellner, Hui-Woog Choe, Frank Cordes, Caroline Kisker, Hermann Schindelin, Ryszard Adamiak, Ulrich Hahn, Wolfram Saenger* 1005–1012

Reverse micelles as a water-property-control system to investigate the hydration/activity relationship of α-chymotrypsin
*V. Dorovska-Taran, C. Veeger, A. J. W. G. Visser* 1013–1019

**Carbohydrates, lipids and other natural products**

Structure/activity relationship of leukotriene $B_4$ and its structural analogues in chemotactic, lysosomal-enzyme release and receptor-binding assays
*Olukayode Soyombo, Bernd W. Spur, Cecilia Soh, Tak H. Lee* 59–66

Partial purification and characterization of a circulating hypertensive factor in spontaneously hypertensive rats
*Hartmut Schlüter, Brigitte Kluth, Regina Börjesson-Stoll, Eckhard Nordhoff, Walter Zidek* 67–73

Investigation of the oxygenation of phospholipids by the porcine leukocyte and human platelet arachidonate 12-lipoxygenases
*Yoshitaka Takahashi, Wayne C. Glasgow, Hiroshi Suzuki, Yutaka Taketani, Shozo Yamamoto, Monika Anton, Hartmut Kühn, Alan R. Brash* 165–171

Erythritolteichoic acid in the cell wall of *Glycomyces tenuis* VKM Ac-1250
*Natalia V. Potekhina, Elena M. Tul'skaya, Irina B. Naumova, Alexander S. Shashkov, Ludmila I. Evtushenko* 371–375

The structure of the carbohydrate backbone of the core-lipid-A region of the lipopolysaccharide from *Vibrio cholerae* strain H11 (non-O1)
*Evgeny V. Vinogradov, Rainer Stuike-Prill, Klaus Bock, Otto Holst, Helmut Brade* 543–554

Specific hydrolysis of intact erythrocyte cell-surface glycosphingolipids by endoglycoceramidase – Lack of modulation of erythrocyte glucose transporter by endogenous glycosphingolipids
*Makoto Ito, Yuko Ikegami, Tadashi Tai, Tatuya Yamagata* 637–643

Kinetics of endoglycoceramidase action toward cell-surface glycosphingolipids of erythrocytes
*Makoto Ito, Yuko Ikegami, Tatuya Yamagata* 645–649

Structures of the N-linked oligosaccharides on porcine plasma vitronectin
*Atsuko Yoneda, Haruko Ogawa, Isamu Matsumoto, Ineo Ishizuka, Sumihiro Hase, Nobuko Seno* 797–806

A plasma membrane 'vacuum cleaner' for daunorubicin in non-P-glycoprotein multidrug-resistant SW-1573 human non-small cell lung carcinoma cells – A study using fluorescence resonance energy transfer
*H. Sipko Mülder, Rienk van Grondelle, Hans V. Westerhoff, Jan Lankelma* 871–882

Hexadecylpalmitoylglycerol or ceramide is linked to similar glycophosphoinositol anchor-like structures in *Trypanosoma cruzi*
*Rosa M. de Lederkremer, Carlos E. Lima, Maria I. Ramirez, Marinei F. Gonçalvez, Walter Colli* 929–936

A specific interaction between NADPH–cytochrome reductase and phosphatidylserine and phosphatidylinositol
*Walter G. Balvers, Marelle G. Boersma, Jacques Vervoort, Arthur Ouwehand, Ivonne M. C. M. Rietjens* 1021–1029

Plasminogen-activator inhibitor type 2 (PAI-2) is a spontaneously polymerising SERPIN – Biochemical characterisation of the recombinant intracellular and extracellular forms
*Peter Mikus, Tetsumei Urano, Peter Liljeström, Tor Ny* 1071–1082

**Membranes and bioenergetics**

Permeability properties of peroxisomes in digitonin-permeabilized rat hepatocytes – Evidence for free permeability towards a variety of substrates
*Nicolette Verleur, Ronald J. A. Wanders* 75–82

Purification of ATP synthase from beef heart mitochondria ($F_oF_1$) and co-reconstitution with monomeric bacteriorhodopsin into liposomes capable of light-driven ATP synthesis
*Barbara Deisinger, Thomas Nawroth, Klaus Zwicker, Simone Matuschka, Gabriele John, Guido Zimmer, Hans-Joachim Freisleben* 377–383

Hydrophobic mismatch and long-range protein/lipid interactions in bacteriorhodopsin/phosphatidylcholine vesicles
*Barbora Piknová, Etienne Pérochon, Jean-François Tocanne* 385–396

Photoaffinity labeling of the human red-blood-cell urea-transporter polypeptide components – Possible homology with the Kidd blood group antigen
*Philippe Neau, Françoise Degeilh, Hervé Lamotte, Bernard Rousseau, Pierre Ripoche* 447–455

Influence of the supramolecular structure of free lipid A on its biological activity
*Klaus Brandenburg, Hubert Mayer, Michel H. J. Koch, Jürgen Weckesser, Ernst Th. Rietschel, Ulrich Seydel* 555–563

The mature form of imported mitochondrial proteins undergoes conformational changes upon binding to isolated mitochondria
*Claudia M. Hartmann, Heinz Gehring, Philipp Christen* 905–910

Formation of a functionally active sodium-translocating hybrid $F_1F_0$ ATPase in *Escherichia coli* by homologous recombination
*Georg Kaim, Peter Dimroth* 937–944

Monodehydroascorbate reductase activity in the surface membrane of leukemic cells – Characterization by a ferricyanide-driven redox cycle
*Esther Schweinzer, Hans Goldenberg* 1057–1062

**Molecular cell biology and metabolism**

Aminoacyl chloromethanes as tools to study the requirements of NADPH oxidase activation in human neutrophils
*Emmanuelle Chollet-Przednowed, Florence Lederer* 83–93

Molecular analysis of chicken embryo SPARC (osteonectin)
*James A. Bassuk, M. Luisa Iruela-Arispe, Timothy F. Lane, Janice M. Benson, Richard A. Berg, E. Helene Sage* 117–127

NAD turnover and utilisation of metabolites for RNA synthesis in a reaction sensing the redox state of the cytochrome $b_6f$ complex in isolated chloroplasts
*Colin K. Pearson, Stanley B. Wilson, Robert Schaffer, Alexander W. Ross* 397–404

Regulation of the *PDA1* gene encoding the E1$\alpha$ subunit of the pyruvate dehydrogenase complex from *Saccharomyces cerevisiae*
*Thibaut J. Wenzel, Marijke A. H. Luttik, Johan A. van den Berg, H. Yde Steensma* 405–411

Induction of translational thermotolerance in liver of thermally stressed rats
*Antonio De Maio, Stephen C. Beck, Timothy G. Buchman* 413–420

Analysis of two mutated vacuolar proteins reveals a degradation pathway in the endoplasmic reticulum or a related compartment of yeast
*Andreas Finger, Michael Knop, Dieter H. Wolf* 565–574

A drug-resistant variant of topoisomerase II$\alpha$ in human HL-60 cells exhibits alterations in catalytic pH optimum, DNA binding and sub-nuclear distribution
*Fritz Boege, Eigil Kjeldsen, Frank Gieseler, Jan Alsner, Harald Biersack* 575–584

Nanomolar arachidonic acid influences the respiratory burst in eosinophils and neutrophils induced by GTP-binding protein – A comparative study of the respiratory burst in bovine eosinophils and neutrophils
*Claude-Pierre Aebischer, Isabelle Pasche, Andreas Jörg* 669–677

PPQ, a novel protein phosphatase containing a Ser+Asn-rich amino-terminal domain, is involved in the regulation of protein synthesis
*Mao Xiang Chen, Yu Hua Chen, Patricia T. W. Cohen* 689–699

Effect of proglycosyn and other phenolic compounds on glycogen metabolism in isolated hepatocytes – Potential role of glucuronidated metabolites
*Emile Van Schaftingen, Edmond de Hoffmann* 745–751

Formation of diacylglycerol, inositol phosphates, arachidonic acid and its metabolites in macrophages
*Peter Dieter, Edith Fitzke* 753–758

Participation in cellular prostaglandin synthesis of type-II phospholipase $A_2$ secreted and anchored on cell-surface heparan sulfate proteoglycan
*Hinako Suga, Makoto Murakami, Ichiro Kudo, Keizo Inoue* 807–813

Insulin and tumor-promoting agent regulate an inhibitor of the 44-kDa mitogen-activated protein kinase/extracellular signal-regulated protein kinase 1 in fibroblasts
*Pascal Peraldi, Emmanuel Van Obberghen* 815–821

Insulin-like growth factor-1 modulates steroid hormone effects on osteocalcin synthesis in human MG-63 osteosarcoma cells
*Asta Pirskanen, Tiina Jääskeläinen, Pekka H. Mäenpää* 883–891

The expression of human plasma cholesteryl-ester-transfer protein in HepG2 cells is induced by sodium butyrate – Quantification of low mRNA levels by polymerase chain reaction
*Bernhard Sperker, Michael Mark, Ralph-M. Budzinski* 945–950

Secretory leucocyte proteinase inhibitor is produced by human articular cartilage chondrocytes and intervertebral disc fibrochondrocytes
*Arie S. Jacoby, James Melrose, Bruce G. Robinson, Valentine J. Hyland, Peter Ghosh* 951–957

Basal $Mg^{2+}$-dependent ATPase activity of rat liver microsomes is not influenced by ambient free $Ca^{2+}$
*Frans H. M. M. Van de Put, Gea J. Visser, Elizabeth A. M. Donkers, Alexander P. R. Theuvenet, Peter H. G. M. Willems* 959–962

Characterisation of high-affinity and low-affinity receptors for ciliary neurotrophic factor
*Johann Huber, Falk Dittrich, Pauline Phelan* 1031–1039

Intracellular degradation of prohormone-chloramphenicol-acetyl-transferase chimeras in a pre-lysosomal compartment
*Ann Danoff, Xiao Ping Mai, Dennis Shields* 1063–1070

Glycogenolytic and antiglycogenolytic prostaglandin $E_2$ actions in rat hepatocytes are mediated via different signalling pathways
*G. P. Püschel, C. Kirchner, A. Schröder, K. Jungermann* 1083–1089

Indexed in *Current Contents*